

Sewing Pattern — Lace set 5244

Recommendations on fabric: natural or synthetic silk.

You will also need: sateen, elastic lace fabric with scallops.

If the pattern has double contour the seam allowances are included.

If the pattern has single contour, the seam allowances are NOT included and need to be added when laying out and cutting details.

Attention! First of all please print all the paper patterns and lay them out at the width of fabric you plan to use (usually from 90 to 150 cm) to see how much fabric you will need. Don't forget to count pair parts and symmetrical parts.

When sewing the garment, pay attention to notches, they must coincide.



CUTTING:

Fabric:

2. Back – 1 folded piece
3. Front – 1 folded piece

Lace:

1. Shoulder strap – 2 pieces
4. Centre yoke – 2 pieces
5. Side yoke - 2 pieces

INSTRUCTIONS:

1. Stitch the yoke pieces together. Press the side seams open and topstitch them 0,1cm away from the seams. Press the curved seams towards the center and topstitch them also.
2. Stitch the yoke to the front piece, press the seam downward and topstitch 0,5cm below the seam.
3. Press the seam allowance of the back neck to the wrong side and topstitch it.
4. Stitch the side seams up to the marks. Press them open.
5. Press the hem to the wrong side and topstitch it.
6. Press the long edges of the straps under and topstitch. Pin the straps to the back according to the marks. Place them under the lace on the front. Try the top on and correct the strap lengths. Fix them to the garment.

TECHNICAL DRAWING:

