

Sewing Pattern — Dress 4107

Recommendations on fabric:
silk fabric suitable for dress.


You will also need:
lining, invisible zipper.

Seam allowances are NOT included and need to be added when laying out and cutting details.
Seam allowance 1 cm on all edges.

Attention! First of all please print all the paper patterns and lay them out at the width of fabric you plan to use (usually from 90 to 150 cm) to see how much fabric you will need. Don't forget to count pair parts and symmetrical parts.

When sewing the garment, pay attention to notches, they must coincide.

Attention! Text on patterns is printed on the right side.
Attention! Upper back lining is cut using pattern for upper part.



CUTTING:

Fabric:

1. Upper front part – 2 details.
2. Middle back part – 2 details.
3. Side back part – 2 details.
4. Lower front part – 1 folded detail.
5. Lower back part – 2 details.
6. Belt – 2 details.

Lining:

1. Lower front part – 1 detail.
2. Lower back part – 2 details.
3. Middle back part – 2 details.
4. Side back part – 2 details.

INSTRUCTIONS:

1. Fold belt in half lengthwise and stitch along the long side and one of the short ones. Turn right side out and press.
2. Make plaits on upper front part and stitch them. Sew middle seam of front part. Press the seam. Make plaits on lower front part. Sew together upper and lower front parts. Press the seam upwards.
3. Sew relieve seams on back part. Press the seams towards center. Make plaits on bottom back part. Sew together upper and lower back parts. Press the seam upwards.
4. Sew side and shoulder seams on top, insert belt into side seam. Press the seams towards back piece. Sew middle seam on back part from marker downwards. Press the seam apart.
5. Make plaits according to markers on lining for upper front part and fix on lower edge. Sew parts of lining in the same way as main details, leaving a slit in left side seam for turning out the piece.
6. Sew in zipper into middle back seam.
7. Put together main detail and lining, arranging the neckline. Step off 5 mm from the edges of invisible zipper, fold lining and pin to upper edge of the dress. Fold the seam allowances along zipper towards the right side and pin to the neckline atop of lining. Stitch neckline. Slash seam allowance in rounded parts, turn the details inside out and press. Topstitch seam allowances onto lining. Hand stitch lining to zipper band.
8. Overstitch armhole with lining in two steps – first the front armhole, then the back armhole. Slash seam allowances in rounded areas and turn inside out.
9. Stitch loosely along the bottom edge of the main detail and gather ruffles. Sew main detail to lining. Turn the dress inside out through the slit in left side seam. Hand sew main piece to lining along the waistline.
10. Put the dress on a mannequin or on yourself and pin main piece to lining, making ruffles. Make short stitches in the places of fixing cloth together. Tie the belt in the back.

TECHNICAL DRAWING:

