

Sewing Pattern — Dress 5900

Recommendations on fabric: natural or mixed, light to medium stretch-knit fabric

If the pattern has a double line around it, the seam allowances are included.

Note: By default, seam allowances are NOT included (single line) and will need to be added when laying out and cutting details.

Seam allowance: lower edge of the garment – 1.5 cm, along edge of the armhole — 1.2 cm, all other seams - 1 cm

Attention! First of all, please print all the paper patterns and lay them out at the width of fabric you plan to use (usually from 90 to 150 cm) to see how much fabric you will need. Don't forget to take into account pieces to be duplicated or cut on a fold.

When sewing the garment, pay attention to notches, they must match up with corresponding pieces.



CUTTING:

The word, “beam” used on some patterns means “straight of grain”. Some pieces will be cut on the fold, this is noted on the pattern piece. Mark all notches and other design features such as darts, pleats etc. from the pattern onto your fabric.

Advice:

Knit fabric pieces are sewn together with special stretch-stitch or narrow zig-zag stitch. Seam allowance on hem is stitched with twin needles to save stretchiness. Pieces can also be sewn together with 3 or 4 – thread serger. When serging, cut seam allowances to 0.6 – 0.8 cm.

Fabric:

1. Front – cut 1 on fold
2. Back – cut 1 on fold
3. Collar – cut 1

INSTRUCTIONS:

1. Mark and stitch up the tucks along the bottom of garment and neckline on front and back.
2. Sew side and shoulder seams. Serge and press seam toward back.
3. Sew collar into ring. Serge and press the seam. Fold collar in half lengthwise and press. Sew collar into the neckline, placing the seam of collar near left shoulder seam. Serge and press the seam. *Make sure collar will stretch enough to fit over head. Make it wider if necessary.
4. Level the hem line when trying the garment on.
5. Serge bottom edge of garment and edge of the armhole. Fold onto wrong side, press and topstitch.

TECHNICAL DRAWING: