Outdoor Jacket Combined With Knit Details - Sewing Pattern #4814

Recommendations on fabric: natural/mixed fabrics suitable for outdoor jackets, knit fabric of small stretchiness.

You will also need: separating zipper, lining.



Seam allowances: Seam allowance for hem of garment and hem of sleeve — 3 cm, along lower edge of pockets — 0 cm, all other seams 1 cm.

Note on seam allowances:
- If the pattern has double contour the seam allowances are included. They are 1 cm unless specified otherwise.
- If the pattern has single contour, the seam allowances are NOT included and need to be added when laying out the pattern.

Note on length of fabric:
Attention! The amount of fabric needed for your pattern is not included. It will depend on the selected pattern size, the width, and design of the fabric you plan to use. First, print all the paper patterns and lay them out at the width of fabric you plan to use (usually from 90 to 150 cm). Measure how much fabric you will need. Don't forget to account for pieces that need to be cut multiple times and pieces that are cut on the fold.

CUTTING:

Note on cutting:
On the pattern pieces, “beam” means straight of grain. Lay out your pieces accordingly. Some pieces will be cut on the fold. This is noted on the pattern piece. Mark all notches and other design features such as pleats etc. from the pattern onto your fabric.
When sewing the garment, pay attention to notches, they must match up.

Hauptstoff (Strickstoff):
1. Mittlerer Rückenteil – 2 Stück
2. Seitlicher Rückenteil – 2 Stück
3. Seitlicher Vorderteil – 2 Stück
4. Ärmel – 2 Stück
5. Kapuze — 2 Stück
6. Mittelkapuze – 1 Stück

7. Taschenbeutel große — 2 Stück
8. Taschenbeutel kleine - 2 Stück

Hauptstoff 1(д3555):
1. Mittlerer Vorderteil – 2 Stück
2. Mittelvorderbesatz — 2 Stück
3. Rückenpasse – 1 Stück
4. Vorderpasse – 2 Stück
5. Kapuzenbesatz – 1 Stück
6. Hinteres Halsausschnittbesatz - 1 Stück

Futterstoff:
1. Mittlerer Rückenteil – 2 Stück
2. Seitlicher Rückenteil – 2 Stück
3. Seitlicher Vorderteil – 2 Stück
4. Ärmel – 2 Stück
5. Kapuze — 2 Stück
6. Mittelkapuze – 1 Stück
8. Mittlerer Vorderteil – 2 Stück
9. Rückenpasse – 1 Stück
10. Vorderpasse – 2 Stück

INSTRUCTIONS:

1. л3556 und taschenöffnung nähen. In die Nahtzugaben in den Ecken einclipsen. Taschenbeutel auf linke Seite wenden und bügeln. д3557. Seitliches Vorderteil an Vorderteil nähen. Nähte versäubern und zur Mitte hin bügeln. Passe an das Vorderteil nähen. Versaubern und nach oben bügeln.

2. Die seitlichen Rückenteile an die mittleren Rückenteile nähen. Bügeln Sie die Nahtzugabe Richtung Mitte. Passe an den Rücken nähen. Die Nahtzugabe nach oben bügeln.

3. Schulternähte nähen. Nähte zum Rückenteil bügeln. Ärmel in das Armloch nähen. Seitennaht nähen, Ärmelnaht weiter nähen.

4. Mittelteil an die Kapuze nähen. д3559 und zusammen heften am Außenrand. д3560 und absteppen an kapuze von der rechten Seite. Kapuze in den Ausschnitt nähen.

5. д3561. ж3562.

6. д3563 rechts auf rechts, о2615 und д3564. Die vorderen Mittelbesätze auf die linke Seite falten. Nahtzugaben der Kapuzennaht zusammenheften.

7. Die Teile aus Futter nähen, eine Öffnung hinterlassen in der linken Seitennaht. Die Ärmel einsetzen. Nähen

Sie das Futter an den Besatz, an die mittleren Vorderbesätze und an den Saum der Jacke und рукавам. д3569. Die Öffnung zunähen.

TECHNICAL DRAWING:

